

BEGA**31 206**

Wall luminaire



Project · Reference number

Date

Product data sheet

Application

Shielded wall luminaire made of copper and hand-blown crystal bubble glass.
The copper shield screens the luminaire to the front and produces an impressive light distribution directed upwards and downwards.

Product description

Luminaire made of copper,
brass and stainless steel
Crystal bubble glass with screw neck
Silicone gasket
2 mounting holes \varnothing 4,5 mm
Distance apart 45 mm
1 cable entry for mains supply cable
up to \varnothing 10,5 mm
Connection terminal 2.5[□]
Earth conductor connection
Lampholder E 14
Safety class I
Protection class IP 64
Dust-tight and protection against splash water
 – Safety mark
CE – Conformity mark
Weight: 1.2 kg

Light technique

If clear lamps are used, the brilliant impression created by the crystal bubble glass is also transferred to the installation surface.
Matt lamps produce soft light distribution on the installation surface.

Lamp

Luminaire with screw base E 14
Lamp output max. 40 W
This product contains light sources of energy efficiency classes E, F


Supplied lamp
BEGA LED lamp **13593**
LED Retrofit 4 W · 470 lm · 3000 K

Luminaire efficiency: 34%

Additional BEGA LED lamps are available for this luminaire:

13594 LED 4 W · 470 lm · 3000 K

Detailed technical and lighting data for the lamps can be found in the data sheets on our website.



Copper

The luminaire parts made of solid copper are delivered with the metal's natural surface colour.
Time and weather factors create the natural patina characteristic for copper.