



MH MODELS X72002 WWW.MHMODELS.CZ
1/72 A4/V-2 GEZACKT - RAGGED LATE 1944
AIRBRUS

MH Models
 Na Radouči 1313
 293 01 Mladá Boleslav
 Czech Republic
www.mhmodels.cz
info@mhmodels.cz




1. Spray the missile with green colour. Place mask 1PZ, 2PZ, 3PZ, 4PZ, 1LZ, 2LZ, 3LZ, 4LZ.




2. Place mask TZ1-2 between fins number I. & II. Mask TZ2-3 goes between fins number II. & III. Mask TZ3-4 between fins number III. & IV. Mask TZ4-1 between fins IV. & I. Cover the protrusions on the fins with Mascot or Mr.Masking Sol, or use auxiliary masking stripes P4.


3. Place auxiliary mask P1. Its lower border is on the edge of the connecting ring and the point is in the middle of a line between fins no.IV and I.






4. Place mask Z1. For its correct orientation use auxiliary mask P1. The tip of mask Z1 is above the second line.




5. Wrap mask Z1 continuously around the missile's body.




6. Place auxiliary mask P2 along the tip. Apply mask Z2 and wrap continuously around the body. The top corner of the mask is touching the line of the missile's nose, the lower corner is in the middle of the inspection door.





7. left corner of the mask should touch the line below the inspection door.




8. Remove auxiliary masks P1 & P2. Place mask Z3. The arc facing the wedge should be placed along the upper line of the inspection opening. In the middle of the fin III. line.




9. Wrap continuously around the missile's body.




10. Spray the complete missile with brown colour.




11. Apply mask 1HP+1HL, 2HP+2HL, 3HP+3HL, and 4HP+4HL. Also place masks TH1-2, TH2-3, TH3-4 and TH4-1.








12. Apply mask H1 and wrap around the body.




13. Wrap mask H1 around the missile's body.








14. Put mask H2 between the tip of mask Z1 and mask Z2.




15. Wrap it around the missile




16. For covering use mask P3.




17. Use mask H3. Place the lower tip between the inspection doors and almost touching the division line of the missile's nose.






18. Apply mask H3. Wrap it around the missile's nose.




19. Place the tip of mask H4 into the wedge of mask Z3. Bend both ends and cover the tip of the nose. The mask may overlap here.



20. Remove mask P3 and spray green colour. Replace mask P3 again when the colour gets dry.

21. Spray white colour. The original colour was off-white, so we'd recommend not to spray this colour in too thick a layer, let the brown undercoat show through a bit and make the yellowish tint of the white colour.



22. Remove all the mask. If you followed the instructions carefully, you will be rewarded with a nice model of the A4/V2 missile.

